

Jumble Quilt Pattern

48" x 60"

designed by Andy Knowlton

www.abrightcorner.com

Fabric Requirements

White: 3-1/8 yard

Main Prints: 1/4 yard of 7 various prints

OR 7 Fat Quarters OR 1 Layer Cake⁺⁺

Scraps for Block Corners: 80 scraps at least 2.5" square^{**}

⁺⁺For a throw size quilt you will only need 20 of the layer cake squares

^{**}you can get 32 (2.5") squares from 1/6 yard and 56 (2.5") squares from 1 fat quarter

Cutting Instructions

White:

Cut 2 @ 3.5" x WOF. Subcut to 20 @ 3.5" square

Cut 4 @ 6.5" x WOF. Subcut to 80 @ 2" x 6.5"

Cut 10 @ 2.5" x WOF. Subcut to 160 @ 2" x 2.5"

Cut 10 @ 5.5" x WOF. Subcut to 160 @ 2" x 5.5"

Main Prints:

If you are using fat quarters, follow the cutting diagram (a)

If you are using 1 layer cake, follow the cutting diagram (b)

If you are using 1/4 yard cuts, follow the cutting diagram (c)

Scraps for Block Corners:

Cut scraps into (80) 2.5" squares

Quilt Block Assembly

For each block you need:

1 (white) 3.5" square

4 (white) 2" x 6.5"

8 (white) 2" x 2.5"

8 (white) 2" x 5.5"

2 (fabric A) 2" x 3.5"

2 (fabric A) 3.5" x 6.5"

2 (fabric A) 2" x 6.5"



4 (fabric B,C,D,E) 2.5" square

Step 1


To each of the 2.5" squares (fabric B,C,D,E) sew white (2" x 2.5") strips to the top and bottom.

Press. Add the white (2" x 5.5") strips to the sides. Press. Cut this square down to 3.5"


(rotate a little or none at all - you choose)




Cutting diagram (a)



Cutting diagram (b)




Cutting diagram (c)



Step 2


Sew 2 (fabric A) 2" x 3.5" rectangles to the top and bottom of the (white) 3.5" square. Press seams away from center.

Next, sew two (fabric A) 3.5" x 6.5" rectangles to the sides. Press seams away from center. Then sew two (white) 2" x 6.5" strips to the sides. Press seams toward the fabric A rectangles.




Step 3

Sew the two remaining (white) 2" x 6.5" strips to the (fabric A) 2" x 6.5" strips. Press toward fabric A. To each end of these strips sew one of the squares from step 1. Press seams toward end squares.



Step 4

Assemble block as shown below. Press seams. Trim to 12.5" if necessary.



Quilt Top Assembly

Arrange blocks- you will need 5 rows of 4 blocks each.

Sew blocks into rows. Press seams to the left for all odd numbered rows and to the right for all even numbered rows.

Sew rows together, matching block corner seams. Press.

Your Jumble quilt top is complete! Layer, baste, quilt and bind as desired.

Quilt Back Assembly

For the quilt back you need 2-1/4 yard of one fabric (OR 1-1/2 yard of one fabric and 3/4 yard of another.)

If you're using one fabric, cut into two pieces: 3/4 yard and 1-1/2 yard.

Trim the ends of the 3/4 yard piece and remove selvages. Cut in half lengthwise along folded edge of fabric to make two pieces that measure 27" x about 22". Using a 1/4" seam, sew these pieces end to end to create one piece that is about 22" x 54".

For the 1-1/2 yard piece of fabric, trim the ends and remove selvages. Open fabric and press fold open. Sew this piece to the piece from the previous step. Your finished backing should measure about 54" x 65".

