

SANDRA CLEMONS™



MATERIALS:

YARDAGES ARE BASED ON 42" WIDE FABRIC.

- 2 1/4 YARDS OF WHITE
- 1/2 YARDS OF NAVY
- 1 1/8 YARDS OF PINK
- 3 1/2 YARDS FOR BACKING
- 1/2 YARDS FOR BINDING

MEET THE DESIGNER

Sandra Clemons is an author, designer, and maker of quilts and sewing projects. She owns [makeitblossom](#), where she sells quilting and sewing patterns on Etsy. Her work has been published in numerous magazines.

Visit sandraclemons.blogspot.com

MADE USING:

Cotton & Steel and RJR Fabrics
Warm & White Batting by the Warm Company
Aurifil Thread

© SANDRA CLEMONS. No part of this pattern may be reproduced in any form unless otherwise written consent by Sandra Clemons. This pattern is intended for personal use. All rights reserved.

SCFREE1

SANDRA CLEMONS™



CROSSWALK QUILT PATTERN
FINISHED QUILT SIZE 50 1/4" x 76"

Crosswalk Quilt Pattern

Cutting Fabrics:

Yardages are based on 44" wide fabrics

For the white fabric:

- Cut 14 strips 2 1/2" x WOF.
- Cut 2 squares 6 7/8" x WOF. Then cut them diagonally once to make 4 half square triangles.
- Cut 2 strips 6 1/2" x WOF. Line the 2 strips on top of each other as well as keep the strips folded at the center fold. This is important because you need 6 diamonds shaped in one direction and 6 diamonds shaped in the reversed direction. Use the 45 degree line on the ruler to make the first cut. At the same time, this cuts off the selvage. Then using the ruler, align the ruler at the 45 degree angle with a distance of 2 1/2" to cut the first diamond. Continue cutting down the strip to make 12 diamonds.
- For the border:
 - Cut 4 strips 4 1/2" x WOF. Piece the strips end to end and then subcut 2 units at 4 1/2" x 68 1/2" for the side borders.
 - Cut 3 strips 4 1/2" x WOF. Piece the strips end to end and then subcut each strip to 2 units at 4 1/2" x 50 3/4" for the top and bottom borders.

For the pink fabric:

- Cut 14 strips 2 1/2" x WOF.

For the navy fabric:

- Cut 2 strips 6 1/2" x WOF. Then cut out the diamonds as explained in the third bullet point under the white fabric above.

For the binding:


- Cut 7 strips 2 1/2" x WOF.

Notes

- Measurements include 1/4" seam allowance.
- Sew with right sides together.
- Arrows noted in the diagrams indicate the direction to press seams.
- WOF means Width of Fabric.

Crosswalk Quilt Pattern

Assemble Arrows:



1. Stitch together navy and white diamonds as shown above. Alternate 7 navy diamonds and 6 white diamonds.
2. Stitch the white triangle to each end.
3. Press towards the navy fabric.
4. Repeat Steps 1 and 3 to make 2 units.


Assemble Quilt Top:

1. Refer to the Quilt Assembly Diagram to stitch the white and pink strips together. Make the first unit with 11 pink and 11 white strips. Make the second unit with 3 pink and 3 white strips. Press seams towards the pink fabric.
2. Size the 2 units made in Step 1 to 42 3/4".
3. Lay out strip units and arrows to stitch together the quilt top center. Press as desired.
4. Add borders. Stitch the side border first, then the top and bottom. Press towards the border.
5. Congratulations! Your quilt top is complete.

Finishing

1. Layer backing, batting, and quilt top.
2. Baste.
3. Quilt as desired.
4. Stitch 2 1/2" strips into one continuous piece for straight grain binding. Add binding to quilt.
5. Enjoy!

Crosswalk Quilt Pattern



Quilt Assembly Diagram